

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**PGF INSULATION SDN. BHD.
NO. 2449, LORONG PERUSAHAAN 10
PRAI INDUSTRIAL ESTATE
13600 PRAI
PULAU PINANG, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

INSULATION MATERIALS (MINERAL WOOL)

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

MS 1020 : 2010, AMD. 2 : 2015



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

PGF INSULATION SDN. BHD.



Trade Mark : ECOWOOL
Model : Board; ECOWOOL CLASSIC
Rating : Density range: (24 - 96) kg/m³
Fire Propagation Index: 3.9, 6.8, 6.8, 7.1
Surface Spread of Flame: Class 1
Fire Classification: CLASS 0
Type : Glasswool
Size : Width range: (0.595 - 1.2) m
Length range: (0.595 - 2.3) m
Thickness range: (13 - 50) mm
Test Report No.: 2018CB1030, 2018FE0394, 2018FE0395, 2018FE0425, 2018FE0424,
2018FE0432, 2018FE0433, 2018FE0428, 2018FE0429

Trade Mark : ECOWOOL
Model : Roll; ECOWOOL CLASSIC
Rating : Density range: (10 - 48) kg/m³
Fire Propagation Index: 1.5, 2.7, 4.3, 3.4, 3.8, 7.3
Surface Spread of Flame: Class 1
Fire Classification: CLASS 0
Type : Glasswool
Size : Width: 1.2 m
Length range: (7.5 - 30) m
Thickness range:
1. (10 - 14) kg/m³: 50 mm
2. (14 - 48) kg/m³: (25 - 50) mm

Test Report No.: 2018CB1031, 2018FE0426, 2018FE0427, 2018FE0455, 2018FE0456,
2018FE0457, 2018FE0458, 2018FE0396, 2018FE0397, 2018FE0459, 2018FE0460,
2018FE0399, 2018FE0400

TEST REPORT NO. : 2018CB1030, 2018FE0394, 2018FE0395, 2018FE0425,
2018FE0424, 2018FE0432, 2018FE0433, 2018FE0428,
2018FE0429, 2018CB1031, 2018FE0426, 2018FE0427,
2018FE0455, 2018FE0456, 2018FE0457, 2018FE0458,
2018FE0396, 2018FE0397, 2018FE0459, 2018FE0460,
2018FE0399, 2018FE0400

End of page
